ELSEVIER

Molecular Brain Research 44 (1997) 355–357

MOLECULAR BRAIN RESEARCH

Author Index

Al-Ghoul, W.M., Meeker, R.B. and Greenwood, R.S.
Differential expression of five *N*-methyl-D-aspartate receptor subunit mRNAs in vasopressin and oxytocin neuroendocrine cells (44) 262
Alvarez, J.C., see Popper, P. (44) 21
Andrews, A., see Bengel, D. (44) 286
Arnold, S.E., see Smutzer, G. (44) 347

Banasik, M., see Kako, K. (44) 39
Bartolomei, F., see Gastaldi, M. (44) 179
Başkaya, M.K., see Rao, A.M. (44) 134
Baudet, C., see Naveilhan, P. (44) 178
Bengel, D., Heils, A., Petri, S., Seemann, M., Glatz, K., Andrews, A., Murphy, D.L. and Lesch, K.P.
Gene structure and 5′-flanking regulatory region of the murine serotonin transporter (44) 286
Bérod, A., see Betancur, C. (44) 334
Betancur, C., Rostène, W. and Bérod, A.
Chronic cocaine increases neurotensin gene expression in the shell of the nucleus accumbens and in discrete regions of the striatum (44) 334
Birnbaum, A.K., see Wotta, D.R. (44) 55
Blanco, C.E., Popper, P. and Micevych, P.
α-CGRP mRNA levels in motoneurons innervating specific rat muscles (44) 253
Bonhoeffer, T., see Griesbeck, O. (44) 171
Brachet, P., see Naveilhan, P. (44) 178
Brady, D.R., see Chandrasekaran, K. (44) 99
Burnet, P.W.J., see Eastwood, S.L. (44) 92

Cadusseau, J., see Lisovoski, F. (44) 125
Cau, P., see Gastaldi, M. (44) 179
Chae, H.-D. and Kim, K.-T.
Stimulation of the A_{2A} adenosine receptor increases expression of the tyrosine hydroxylase gene (44) 31
Chandrasekaran, K., Hatanpää, K., Rapoport, S.I. and Brady, D.R.
Decreased expression of nuclear and mitochondrial DNA-encoded genes of oxidative phosphorylation in association neocortex in Alzheimer disease (44) 99
Chernak, J.M., Hoffman, P.W., Minowa, T., Mouradian, M.M. and Roth, G.S.
Interaction of nuclear factors from young and old rat brain regions with regulatory sequences of the D_2 dopamine receptor gene promoter (44) 113
Chihara, K., see Shigeyoshi, Y. (44) 229
Chomchai, J.S., see Karadaghy, A.A. (44) 151
Clark, H.B., see Young, K. (44) 147
Cohen, B., see Gorman, S. (44) 143

Deguchi, T., see Misawa, H. (44) 323
Dempsey, R.J., see Rao, A.M. (44) 134
Dlouhy, S.R., see Young, K. (44) 147
Doyle, M.W., see Roselli, C.E. (44) 66
Dragunow, M., see Walton, M. (44) 167
Drescher, D.G., see Karadaghy, A.A. (44) 151
Drescher, M.J., see Karadaghy, A.A. (44) 151

Eastwood, S.L., Burnet, P.W.J. and Harrison, P.J.
GluR2 glutamate receptor subunit flip and flop isoforms are decreased in the hippocampal formation in schizophrenia: a reverse transcriptase-polymerase chain reaction (RT–PCR) study (44) 92
Elde, R., see Wotta, D.R. (44) 55
Esumi, H., see Shigeyoshi, Y. (44) 229

Feindt, J., Krisch, B., Lucius, R. and Mentlein, R.
Meningeal cells are targets and inactivation sites for the neuropeptide somatostatin (44) 293
Forsayeth, J.R., see Gorman, S. (44) 143
Fujiki, M. and Steward, O.
High frequency transcranial magnetic stimulation mimics the effects of ECS in upregulating astroglial gene expression in the murine CNS (44) 301
Funakoshi, H., see Naveilhan, P. (44) 178

Gaku Sakaguchi, , see Naito, A. (44) 198
Gall, C.M., see Kornblum, H.I. (44) 219
Gastaldi, M., Bartolomei, F., Massacrier, A., Planells, R., Robaglia-Schlupp, A. and Cau, P.
Increase in mRNAs encoding neonatal II and III sodium channel α-isoforms during kainate-induced seizures in adult rat hippocampus (44) 179
Gerdes, C., see Olesen, O.F. (44) 105
Ghetti, B., see Young, K. (44) 147
Glatz, K., see Bengel, D. (44) 286
Gluckman, P., see Walton, M. (44) 167
Gooley, A.A., see Hancox, K.A. (44) 273
Gorman, S., Viseshakul, N., Cohen, B., Hardy, S., Grant, G.A., Yost, C.S. and Forsayeth, J.R.
A recombinant adenovirus that directs secretion of biologically active κ-bungarotoxin from mammalian cells (44) 143
Grant, G.A., see Gorman, S. (44) 143
Gravel, C., see Griesbeck, O. (44) 171
Greenwood, R.S., see Al-Ghoul, W.M. (44) 262
Griesbeck, O., Korte, M., Gravel, C., Bonhoeffer, T. and Thoenen, H.
Rapid gene transfer into cultured hippocampal neurons and acute hippocampal slices using adenoviral vectors (44) 171
Groshan, K., see Yamada, M. (44) 12

Hahn, C.-G., see Smutzer, G. (44) 347
Han, L.-Y., see Smutzer, G. (44) 347
Hancox, K.A., Gooley, A.A. and Jeffrey, P.L.
AvGp50, a predominantly axonally expressed glycoprotein, is a member of the IgLON's subfamily of cell adhesion molecules (CAMs) (44) 273
Hardy, S., see Gorman, S. (44) 143
Harrison, P.J., see Eastwood, S.L. (44) 92
Hatanpää, K., see Chandrasekaran, K. (44) 99
Heils, A., see Bengel, D. (44) 286
Herbst, R. and Nicklin, M.J.H.
SEZ-6: promoter selectivity, genomic structure and localized expression in the brain (44) 309
Herzog, K.-H., see Olafsson, P. (44) 73
Hisamitsu, T., see Yamada, M. (44) 12
Ho, A., see Spangler, R. (44) 139
Hoffman, P.W., see Chernak, J.M. (44) 113
Honrubia, V., see Popper, P. (44) 21

Ibata, Y., see Shigeyoshi, Y. (44) 229
Igarashi, H., see Naito, A. (44) 198
Inoue, K., see Morimura, H. (44) 245
Ishida, N., see Kako, K. (44) 39
Ishimoto, I., see Morimura, H. (44) 245

Jeffrey, P.L., see Hancox, K.A. (44) 273
Jensen, P.H., see Olesen, O.F. (44) 105
Jensen, P.J., Millan, N. and Mack, K.J.
Cortical NMDAR-1 gene expression is rapidly upregulated after seizure (44) 157
Jorgensen, E.Z., see Roselli, C.E. (44) 66

Kahn, A., see Lisovoski, F. (44) 125
Kako, K., Banasik, M., Lee, K. and Ishida, N.
Regulation of cAMP response element binding protein (CREB) binding in the mammalian clock pacemaker by light but not a circadian clock (44) 39

Karadaghy, A.A., Lasak, J.M., Chomchai, J.S., Khan, K.M., Drescher, M.J. and Drescher, D.G.
Quantitative analysis of dopamine receptor messages in the mouse cochlea (44) 151
Khan, K.M., see Karadaghy, A.A. (44) 151
Kim, K.-T., see Chae, H.-D. (44) 31
Kindy, M.S., see Rao, A.M. (44) 134
Kiyama, H., see Mizuno, M. (44) 163
Kondo, E., see Mizuno, M. (44) 163
Kornblum, H.I., Sankar, R., Shin, D.H., Wasterlain, C.G. and Gall, C.M.
Induction of brain derived neurotrophic factor mRNA by seizures in neonatal and juvenile rat brain (44) 219
Korte, M., see Griesbeck, O. (44) 171
Kreek, M.J., see Spangler, R. (44) 139
Krisch, B., see Feindt, J. (44) 293
Kudo, Y., see Uchino, S. (44) 1

Lamarre-Théroux, L., see Thiffault, C. (44) 238
Lasak, J.M., see Karadaghy, A.A. (44) 151
Law, P.-Y., see Wotta, D.R. (44) 55
Lawlor, P., see Walton, M. (44) 167
Ledeen, R.W., see Wu, G. (44) 341
Lee, K., see Kako, K. (44) 39
Lesch, K.P., see Bengel, D. (44) 286
Lisovoski, F., Wahrmann, J.P., Pages, J.C., Cadusseau, J., Rieu, M., Weber, A., Kahn, A. and Peschanski, M.
Long-term histological follow-up of genetically modified myoblasts grafted into the brain (44) 125
Lopez, I., see Popper, P. (44) 21
Lu, B., see Olafsson, P. (44) 73
Lu, Z.-H., see Wu, G. (44) 341
Lucius, R., see Feindt, J. (44) 293

Mack, K.J., see Jensen, P.J. (44) 157
Maeda, M., see Naito, A. (44) 198
Maggos, C.E., see Spangler, R. (44) 139
Maley, M.E., see Rao, A.M. (44) 134
Massacrier, A., see Gastaldi, M. (44) 179
Massi, P., see Rubino, T. (44) 191
Matsuura, J., see Misawa, H. (44) 323
Meeker, R.B., see Al-Ghoul, W.M. (44) 262
Mentlein, R., see Feindt, J. (44) 293
Metsis, M., see Naveilhan, P. (44) 178
Meyer, D.K., see Olenik, C. (44) 83
Micevych, P., see Blanco, C.E. (44) 253
Mikkelsen, J.D., see Olesen, O.F. (44) 105
Millan, N., see Jensen, P.J. (44) 157
Minami, Y., see Morimura, H. (44) 245
Minowa, T., see Chernak, J.M. (44) 113
Misawa, H., Matsuura, J., Oda, Y., Takahashi, R. and Deguchi, T.
Human choline acetyltransferase mRNAs with different 5′-region produce a 69-kDa major translation product (44) 323
Mishina, M., see Uchino, S. (44) 1
Mizuno, M., Kondo, E., Nishimura, M., Ueda, Y., Yoshiya, I., Tohyama, M. and Kiyama, H.
Localization of molecules involved in cytokine receptor signaling in the rat trigeminal ganglion (44) 163
Morgan, J.I., see Olafsson, P. (44) 73
Morimura, H., Shimada, S., Otori, Y., Saishin, Y., Yamauchi, A., Minami, Y., Inoue, K., Ishimoto, I., Tano, Y. and Tohyama, M.
The differential osmoregulation and localization of taurine transporter mRNA and Na^+/*myo*-inositol cotransporter mRNA in rat eyes (44) 245
Mouradian, M.M., see Chernak, J.M. (44) 113
Murphy, D.L., see Bengel, D. (44) 286

Naito, A., Orita, S., Wanaka, A., Sasaki, T., Gaku Sakaguchi, , Maeda, M., Igarashi, H., Tohyama, M. and Takai, Y.
Molecular cloning of mouse Doc2α and distribution of its mRNA in adult mouse brain (44) 198
Nakajima-Iijima, S., see Uchino, S. (44) 1
Naveilhan, P., Neveu, I., Baudet, C., Funakoshi, H., Wion, D., Brachet, P. and Metsis, M.
1,25-Dihydroxyvitamin D_3 regulates the expression of the low-affinity neurotrophin receptor. (This article was published in *Mol. Brain Res.*, Vol. 41/1,2 (1996) 259–268) (44) 178
Neveu, I., see Naveilhan, P. (44) 178
Nicklin, M.J.H., see Herbst, R. (44) 309
Nishimura, M., see Mizuno, M. (44) 163
Nishimura, M., see Yasumi, M. (44) 205

Oda, Y., see Misawa, H. (44) 323
Ogura, T., see Shigeyoshi, Y. (44) 229
Okamura, H., see Shigeyoshi, Y. (44) 229
Olafsson, P., Soares, H.D., Herzog, K.-H., Wang, T., Morgan, J.I. and Lu, B.
The Ca^{2+} binding protein, frequenin is a nervous system-specific protein in mouse preferentially localized in neurites (44) 73
Olenik, C. and Meyer, D.K.
Development of proenkephalin gene expression in rat neocortex: A non-radioactive in situ hybridization study (44) 83
Olesen, O.F., Mikkelsen, J.D., Gerdes, C. and Jensen, P.H.
Isoform-specific binding of human apolipoprotein E to the non-amyloid β component of Alzheimer's disease amyloid (44) 105
Orita, S., see Naito, A. (44) 198
Otori, Y., see Morimura, H. (44) 245

Pages, J.C., see Lisovoski, F. (44) 125
Parenti, M., see Rubino, T. (44) 191
Parolaro, D., see Rubino, T. (44) 191
Patrini, G., see Rubino, T. (44) 191
Peschanski, M., see Lisovoski, F. (44) 125
Petri, S., see Bengel, D. (44) 286
Phung, C.-T., see Yamada, M. (44) 12
Piccardo, P., see Young, K. (44) 147
Planells, R., see Gastaldi, M. (44) 179
Poirier, J., see Thiffault, C. (44) 238
Popper, P., Rodrigo, J.P., Alvarez, J.C., Lopez, I. and Honrubia, V.
Expression of the AMPA-selective receptor subunits in the vestibular nuclei of the chinchilla (44) 21
Popper, P., see Blanco, C.E. (44) 253

Quirion, R., see Thiffault, C. (44) 238

Rao, A.M., Başkaya, M.K., Maley, M.E., Kindy, M.S. and Dempsey, R.J.
Beneficial effects of *S*-adenosyl-L-methionine on blood–brain barrier breakdown and neuronal survival after transient cerebral ischemia in gerbils (44) 134
Rapoport, S.I., see Chandrasekaran, K. (44) 99
Richelson, E., see Yamada, M. (44) 12
Rieu, M., see Lisovoski, F. (44) 125
Robaglia-Schlupp, A., see Gastaldi, M. (44) 179
Rodrigo, J.P., see Popper, P. (44) 21
Rodríguez, A., see Smutzer, G. (44) 347
Rønnekleiv, O.K., see Roselli, C.E. (44) 66
Roselli, C.E., Jorgensen, E.Z., Doyle, M.W. and Rønnekleiv, O.K.
Expression of the orphan receptor steroidogenic factor-1 mRNA in the rat medial basal hypothalamus (44) 66
Rostène, W., see Betancur, C. (44) 334
Roth, G.S., see Chernak, J.M. (44) 113
Rubino, T., Patrini, G., Parenti, M., Massi, P. and Parolaro, D.
Chronic treatment with a synthetic cannabinoid CP-55,940 alters G-protein expression in the rat central nervous system (44) 191
Ruscheinsky, D.D., see Smutzer, G. (44) 347

Saishin, Y., see Morimura, H. (44) 245
Sankar, R., see Kornblum, H.I. (44) 219
Sasaki, T., see Naito, A. (44) 198
Sato, K., see Yasumi, M. (44) 205
Schlussman, S.D., see Spangler, R. (44) 139
Seemann, M., see Bengel, D. (44) 286
Shigeyoshi, Y., Ogura, T., Esumi, H., Chihara, K., Ibata, Y. and Okamura, H.
Lesion-induced neuronal nitric oxide synthase in Purkinje cells of the rat cerebellar cortex: Histochemical and in situ hybridization study (44) 229
Shimada, S., see Morimura, H. (44) 245
Shimada, S., see Yasumi, M. (44) 205
Shin, D.H., see Kornblum, H.I. (44) 219
Sirimanne, E., see Walton, M. (44) 167
Smutzer, G., Zimmerman, J.E., Hahn, C.-G., Ruscheinsky, D.D., Rodríguez, A., Han, L.-Y. and Arnold, S.E.
Inositol 1,4,5-trisphosphate receptor expression in mammalian olfactory tissue (44) 347
Soares, H.D., see Olafsson, P. (44) 73
Spangler, R., Zhou, Y., Maggos, C.E., Schlussman, S.D., Ho, A. and Kreek, M.J.
Prodynorphin, proenkephalin and κ opioid receptor mRNA responses to acute ''binge'' cocaine (44) 139
Steward, O., see Fujiki, M. (44) 301
Szot, P., White, S.S. and Veith, R.C.
Effect of pentylenetetrazol on the expression of tyrosine hydroxylase mRNA and norepinephrine and dopamine transporter mRNA (44) 46

Takahashi, R., see Misawa, H. (44) 323
Takai, Y., see Naito, A. (44) 198
Tano, Y., see Morimura, H. (44) 245
Thiffault, C., Lamarre-Théroux, L., Quirion, R. and Poirier, J.

L-Deprenyl and MDL72974 do not improve the recovery of dopaminergic cells following systemic administration of MPTP in mouse (44) 238
Thoenen, H., see Griesbeck, O. (44) 171
Tohyama, M., see Mizuno, M. (44) 163
Tohyama, M., see Morimura, H. (44) 245
Tohyama, M., see Naito, A. (44) 198
Tohyama, M., see Yasumi, M. (44) 205

Uchino, S., Kudo, Y., Watanabe, W., Nakajima-Iijima, S. and Mishina, M.
Inducible expression of *N*-methyl-D-aspartate (NMDA) receptor channels from cloned cDNAs in CHO cells (44) 1
Ueda, Y., see Mizuno, M. (44) 163

Veith, R.C., see Szot, P. (44) 46
Viseshakul, N., see Gorman, S. (44) 143

Wahrmann, J.P., see Lisovoski, F. (44) 125
Walton, M., Lawlor, P., Sirimanne, E., Williams, C., Gluckman, P. and Dragunow, M.
Loss of Ref-1 protein expression precedes DNA fragmentation in apoptotic neurons (44) 167
Wanaka, A., see Naito, A. (44) 198
Wang, T., see Olafsson, P. (44) 73
Wasterlain, C.G., see Kornblum, H.I. (44) 219
Watanabe, W., see Uchino, S. (44) 1
Weber, A., see Lisovoski, F. (44) 125
White, S.S., see Szot, P. (44) 46
Wilcox, G.L., see Wotta, D.R. (44) 55
Williams, C., see Walton, M. (44) 167
Wion, D., see Naveilhan, P. (44) 178
Wotta, D.R., Birnbaum, A.K., Wilcox, G.L., Elde, R. and Law, P.-Y.
μ-Opioid receptor regulates CFTR coexpressed in *Xenopus* oocytes in a cAMP independent manner (44) 55
Wu, G., Lu, Z.-H. and Ledeen, R.W.
Interaction of the δ-opioid receptor with GM1 ganglioside: conversion from inhibitory to excitatory mode (44) 341

Yamada, M., Groshan, K., Phung, C.-T., Yamada, M., Hisamitsu, T. and Richelson, E.
The expression of mRNA for a kappa opioid receptor in the substantia nigra of Parkinson's disease brain (44) 12
Yamada, M., see Yamada, M. (44) 12
Yamauchi, A., see Morimura, H. (44) 245
Yasumi, M., Sato, K., Shimada, S., Nishimura, M. and Tohyama, M.
Regional distribution of GABA transporter 1 (GAT1) mRNA in the rat brain: Comparison with glutamic acid decarboxylase$_{67}$ (GAD$_{67}$) mRNA localization (44) 205
Yoshiya, I., see Mizuno, M. (44) 163
Yost, C.S., see Gorman, S. (44) 143
Young, K., Clark, H.B., Piccardo, P., Dlouhy, S.R. and Ghetti, B.
Gerstmann–Sträussler–Scheinker disease with the *PRNP* P102L mutation and valine at codon 129 (44) 147

Zhou, Y., see Spangler, R. (44) 139
Zimmerman, J.E., see Smutzer, G. (44) 347